# Supplemental Arrows-C Range: 1F800-1F8FF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 15.0* 

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See https://www.unicode.org/errata/ for an up-to-date list of errata.

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts. See https://www.unicode.org/charts/PDF/Unicode-15.0/ for charts showing only the characters added in Unicode 15.0. See https://www.unicode.org/Public/15.0.0/charts/ for a complete archived file of character code charts for Unicode 15.0. See https://www.unicode.org/charts/About.html#Conventions for conventions used in these code charts, and other general information.

## Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 15.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 15.0, online at https://www.unicode.org/versions/Unicode15.0.0/, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

## See https://www.unicode.org/ucd/ and https://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

## Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

## See https://www.unicode.org/charts/fonts.html for a list.

## **Terms of Use**

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

### See https://www.unicode.org/pending/pending.html and https://www.unicode.org/alloc/Pipeline.html.

Copyright © 1991-2022 Unicode, Inc. All rights reserved.

1F800

	1F80	1F81	1F82	1F83	1F84	1F85	1F86	1F87	1F88	1F89	1F8A	1F8B	1F8C	1F8D	1F8E	1F8F
Ī							/					F				
0	-	-	•		•	$\leftarrow$	$\leftarrow$	÷	÷	•	$\checkmark$	٦				
	1F800	1F810	1F820	1F830	1F840	1F850	1F860	1F870	1F880	1F890	1F8A0	1F8B0				
1	1	1				$\uparrow$	$ \uparrow $				$\Rightarrow$	2				
	1F801	1F811	- 1F821	1F831	1F841	- 1F851	1F861	1F871	1F881	1F891	1F8A1	1F8B1				
		_	_			$\rightarrow$		$\rightarrow$								
2						_	7	-		•	•					
	1F802	1F812	1F822	1F832	1F842	1F852	1F862	1F872	1F882	1F892	1F8A2					
3	Ļ	↓	$\downarrow$	I	-	$\downarrow$	$  \mathbf{V}  $	$\mathbf{\Psi}$	$\mathbf{\Psi}$	·						
	1F803	1F813	1F823	1F833	1F843	1F853	1F863	1F873	1F883	1F893	1F8A3					
	←	←	←			R		Γ	R	4						
4	1F804	1F814	1F824	1F834	1F844	1F854	1F864	1F874	1F884	1F894	1F8A4					
	11 004		11 024	11 004				11 07 4	11 004	11 004	-					
5	T	1	T			7	Λ	7		А	⇒					
	1F805	1F815	1F825	1F835	1F845	1F855	1F865	1F875	1F885	1F895	1F8A5					
6	$\rightarrow$		$\rightarrow$			$\mathbf{N}$	Ы	Ν		⊳						
Ů	1F806	1F816	1F826	1F836	1F846	1F856	1F866	1F876	1F886	1F896	1F8A6					
	I	I	I			1				v	-					
7	∔	+	Ŧ		$\bullet$	Ľ	Z	Ľ			₽					
	1F807	1F817	1F827	1F837	1F847	1F857	1F867	1F877	1F887	1F897	1F8A7					
8	←	←	+	•		$\leftrightarrow$	$\leftarrow$	4			$\overline{\Box}$					
Ŭ	1F808	1F818	1F828	1F838		1F858	1F868	1F878		1F898	1F8A8					
			♠								_					
9		I				$\mathbf{\hat{T}}$	T	T			$\Box$					
	1F809	1F819	1F829	1F839		1F859	1F869	1F879		1F899	1F8A9					
А	$\rightarrow$	→	$\rightarrow$	•			$\rightarrow$	→		⇒						
	1F80A	1F81A	1F82A	1F83A			1F86A	1F87A		1F89A	1F8AA					
Ĺ	T	T		-				L								
В	1F80B	1F81B	➡ 1F82B	1F83B			1F86B	1F87B		1F89B	1F8AB					
		II OID	11 02.0	1 000						11 000	IT OAD					
С		+	-	<b></b>			$\mathbf{\nabla}$	Γ								
		1F81C	1F82C	1F83C			1F86C	1F87C		1F89C	1F8AC					
			1				7	7								
D		■ 1F81D	1F82D	1F83D			1F86D	1F87D		1F89D	1F8AD					
				4			• •									
Е				•			Р	J								
		1F81E	1F82E	1F83E			1F86E	1F87E		1F89E						
F		$\mathbf{+}$		-			K	K		I						
'		• 1F81F	1F82F	1F83F			1F86F	1F87F		1F89F						

The Unicode Standard, Version 15.0, Copyright © 1991-2022 Unicode, Inc. All rights reserved.

#### Arrows with triangle arrowheads 1F823 ↓ DOWNWARDS TRIANGLE-HEADED ARROW 1F800 LEFTWARDS ARROW WITH SMALL TRIANGLE 1F ARROWHEAD 1F801 UPWARDS ARROW WITH SMALL TRIANGLE 1 1F ARROWHEAD 1F802 → **RIGHTWARDS ARROW WITH SMALL TRIANGLE** 1F ARROWHEAD 1F803 ↓ DOWNWARDS ARROW WITH SMALL TRIANGLE 1F ARROWHEAD 1F804 ← LEFTWARDS ARROW WITH MEDIUM TRIANGLE 1F ARROWHEAD 1F805 1 UPWARDS ARROW WITH MEDIUM TRIANGLE 1F ARROWHEAD 1F806 → **RIGHTWARDS ARROW WITH MEDIUM** 1F TRIANGLE ARROWHEAD 1F807 Ŧ DOWNWARDS ARROW WITH MEDIUM 1F TRIANGLE ARROWHEAD LEFTWARDS ARROW WITH LARGE TRIANGLE 1F808 🗲 1F ARROWHEAD UPWARDS ARROW WITH LARGE TRIANGLE 1F809 **↑** 1F ARROWHEAD RIGHTWARDS ARROW WITH LARGE TRIANGLE 1F80A → 1F ARROWHEAD 1F80B 🔸 DOWNWARDS ARROW WITH LARGE TRIANGLE 1F ARROWHEAD Arrows with equilateral triangle arrowheads 1F 1F810 ← LEFTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD 1F 1F811 1 UPWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD 1F 1F812 → **RIGHTWARDS ARROW WITH SMALL** EQUILATERAL ARROWHEAD 1F DOWNWARDS ARROW WITH SMALL 1F813 ↓ EQUILATERAL ARROWHEAD Fir 1F814 ← LEFTWARDS ARROW WITH EQUILATERAL 1F ARROWHEAD 1F 1F815 1 UPWARDS ARROW WITH EQUILATERAL 1F ARROWHEAD 1F 1F816 → **RIGHTWARDS ARROW WITH EOUILATERAL** ARROWHEAD Sa 1F817 ↓ DOWNWARDS ARROW WITH EQUILATERAL 1F ARROWHEAD 1F 1F818 ← HEAVY LEFTWARDS ARROW WITH 1F EQUILATERAL ARROWHEAD 1F HEAVY UPWARDS ARROW WITH EQUILATERAL 1F819 **†** ARROWHEAD Со 1F81A → HEAVY RIGHTWARDS ARROW WITH 1F EQUILATERAL ARROWHEAD 1F HEAVY DOWNWARDS ARROW WITH 1F81B 🕹 1F EQUILATERAL ARROWHEAD 1F 1F81C 🗲 HEAVY LEFTWARDS ARROW WITH LARGE 1F EQUILATERAL ARROWHEAD 1F 1F81D 🔶 HEAVY UPWARDS ARROW WITH LARGE 1F EQUILATERAL ARROWHEAD 1F81E 🔸 HEAVY RIGHTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD 1F 1F81F 🔸 HEAVY DOWNWARDS ARROW WITH LARGE He EQUILATERAL ARROWHEAD 1F Triangle headed arrows with different shaft weights 1F LEFTWARDS TRIANGLE-HEADED ARROW WITH 1F820 ← 1F NARROW SHAFT 1F 1F821 Ť UPWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT 1F822 → **RIGHTWARDS TRIANGLE-HEADED ARROW**

WITH NARROW SHAFT

		WITH NARROW SHAFT
824	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH
825	t	MEDIUM SHAFT UPWARDS TRIANGLE-HEADED ARROW WITH
826	<b>→</b>	MEDIUM SHAFT RIGHTWARDS TRIANGLE-HEADED ARROW
		WITH MEDIUM SHAFT
827	ţ	DOWNWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
828	Ļ	LEFTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
829	1	UPWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
82A	<b>→</b>	RIGHTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
82B	t	DOWNWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
82C	+	LEFTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
82D	t	UPWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
82E	<b>→</b>	RIGHTWARDS TRIANGLE-HEADED ARROW
82F	t	DOWNWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
830	-	LEFTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
831	t	UPWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
832	-	RIGHTWARDS TRIANGLE-HEADED ARROW
833	I	DOWNWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
nger	-po	st arrows
834	•	LEFTWARDS FINGER-POST ARROW
835		UPWARDS FINGER-POST ARROW
836		RIGHTWARDS FINGER-POST ARROW
837	U	DOWNWARDS FINGER-POST ARROW
uar	ed a	rrows
838	•	LEFTWARDS SQUARED ARROW
839	٠	UPWARDS SQUARED ARROW
83A	٠	RIGHTWARDS SQUARED ARROW
83B	Ŧ	DOWNWARDS SQUARED ARROW
mp	ress	ed arrows
83C		LEFTWARDS COMPRESSED ARROW
83D	*	UPWARDS COMPRESSED ARROW
83E	۲	RIGHTWARDS COMPRESSED ARROW
83F	+	DOWNWARDS COMPRESSED ARROW
840	4	LEFTWARDS HEAVY COMPRESSED ARROW
841	•	UPWARDS HEAVY COMPRESSED ARROW
842	•	RIGHTWARDS HEAVY COMPRESSED ARROW
072	-	$\rightarrow$ 27A7 <b>b</b> squat black rightwards arrow
843	•	DOWNWARDS HEAVY COMPRESSED ARROW
avy		
	+	
845	1	
846	•	
847	₽	DOWNWARDS HEAVY ARROW

## Sans-serif arrows

- 1F850 ← LEFTWARDS SANS-SERIF ARROW
  - $\rightarrow$  2190  $\leftarrow$  leftwards arrow

1F851	↑		1F87A	→	WIDE-H ARROW
1F852	$\rightarrow$	→ 2191 ↑ upwards arrow RIGHTWARDS SANS-SERIF ARROW	1F87B	$\mathbf{\Psi}$	WIDE-H
1F853	↓	$\rightarrow$ 2192 $\rightarrow$ rightwards arrow DOWNWARDS SANS-SERIF ARROW	1F87C	R	ARROW WIDE-H
1F854	5	→ 2193↓ downwards arrow NORTH WEST SANS-SERIF ARROW	1F87D	7	ARROW WIDE-H
1F855	7	$\rightarrow$ 2196 $\checkmark$ north west arrow NORTH EAST SANS-SERIF ARROW	1F87E	R	ARROW WIDE-H ARROW
1F856	Ŕ	$\rightarrow$ 2197 $\nearrow$ north east arrow SOUTH EAST SANS-SERIF ARROW	1F87F	Ľ	
1F857	Ľ	$\rightarrow$ 2198 $\searrow$ south east arrow SOUTH WEST SANS-SERIF ARROW	1F880	←	WIDE-H ARROW
1F858	↔	→ 2199 ∠ south west arrow LEFT RIGHT SANS-SERIF ARROW	1F881	♠	WIDE-H ARROW
1F859	\$	$\rightarrow$ 2194 $\leftrightarrow$ left right arrow UP DOWN SANS-SERIF ARROW	1F882	-	WIDE-H Barb Af
Wido-	hoa	$\rightarrow$ 2195 $\updownarrow$ up down arrow <b>ded barb arrows</b>	1F883	¥	WIDE-H Barb Af
1F860	$\leftarrow$		1F884	ĸ	WIDE-H
1000		ARROW	45005	_	BARB A
1F861	$\wedge$	WIDE-HEADED UPWARDS LIGHT BARB ARROW	1F885	7	WIDE-H ARROW
1F862	$\rightarrow$		1F886		WIDE-H
		ARROW	11 000		ARROW
1F863		WIDE-HEADED DOWNWARDS LIGHT BARB ARROW	1F887	Ľ	WIDE-H BARB AF
1F864		WIDE-HEADED NORTH WEST LIGHT BARB ARROW	Arrow		
1F865	7		1F890	•	LEFTWA
45000	N		1F891		UPWAR
1F866	Ы	WIDE-HEADED SOUTH EAST LIGHT BARB ARROW	1F892	► ▼	RIGHTW
1F867	Ľ		1F893 1F894	4	DOWNV LEFTWA ARROW
1F868	←	WIDE-HEADED LEFTWARDS BARB ARROW	1F895		UPWAR
1F869		WIDE-HEADED UPWARDS BARB ARROW	11 035	Δ	ARROW
1F86A	÷		1F896	>	RIGHTW
1F86B	Ý				TRIANG
1F86C	Ā	WIDE-HEADED NORTH WEST BARB ARROW	1F897	v	DOWNV
1F86D	7	WIDE-HEADED NORTH EAST BARB ARROW			TRIANG
1F86E	R		Notch	ed a	rrows
1F86F	Ē	WIDE-HEADED SOUTH WEST BARB ARROW			LEFTWA
1F870		WIDE-HEADED LEFTWARDS MEDIUM BARB	1F899	1	UPWAR
	-	ARROW	1F89A	⇒	RIGHTW
1F871	↑	WIDE-HEADED UPWARDS MEDIUM BARB ARROW	11 00/1		→ 27AF white
1F872	<b>→</b>	WIDE-HEADED RIGHTWARDS MEDIUM BARB ARROW	1F89B	¥	DOWNV
		$\rightarrow$ 2794 $\rightarrow$ heavy wide-headed rightwards	-		ow shaft
1F873	$\mathbf{\Lambda}$	arrow WIDE-HEADED DOWNWARDS MEDIUM BARB ARROW	сотра	tible	l alignme with hea
1F874	F	WIDE-HEADED NORTH WEST MEDIUM BARB	1F89C	-	HEAVY /
11 07 4	••	ARROW	1F89D	•	HEAVY /
1F875	7	WIDE-HEADED NORTH EAST MEDIUM BARB	1F89E 1F89F		HEAVY / HEAVY /
1F876	Ы	WIDE-HEADED SOUTH EAST MEDIUM BARB ARROW			<b>hite arro</b> LEFTWA
1F877	Ľ	WIDE-HEADED SOUTH WEST MEDIUM BARB ARROW			RIGHTW
1F878	←	WIDE-HEADED LEFTWARDS HEAVY BARB ARROW			LEFTWA
1F879	↑	WIDE-HEADED UPWARDS HEAVY BARB ARROW			LEFTWA

1F87A	→	WIDE-HEADED RIGHTWARDS HEAVY BARB
	_	ARROW
1070		

- HEADED DOWNWARDS HEAVY BARB
- HEADED NORTH WEST HEAVY BARB
- HEADED NORTH EAST HEAVY BARB
- HEADED SOUTH EAST HEAVY BARB
- HEADED SOUTH WEST HEAVY BARB
- HEADED LEFTWARDS VERY HEAVY BARB
- HEADED UPWARDS VERY HEAVY BARB
- HEADED RIGHTWARDS VERY HEAVY ARROW
- HEADED DOWNWARDS VERY HEAVY ARROW
- HEADED NORTH WEST VERY HEAVY ARROW
- HEADED NORTH EAST VERY HEAVY BARB
- HEADED SOUTH EAST VERY HEAVY BARB
- HEADED SOUTH WEST VERY HEAVY ARROW
- ARDS TRIANGLE ARROWHEAD
- RDS TRIANGLE ARROWHEAD
- WARDS TRIANGLE ARROWHEAD
- WARDS TRIANGLE ARROWHEAD
- ARDS WHITE ARROW WITHIN TRIANGLE VHEAD
- RDS WHITE ARROW WITHIN TRIANGLE VHEAD
- WARDS WHITE ARROW WITHIN GLE ARROWHEAD
- WARDS WHITE ARROW WITHIN **GLE ARROWHEAD**
- ARDS ARROW WITH NOTCHED TAIL
- RDS ARROW WITH NOTCHED TAIL
- WARDS ARROW WITH NOTCHED TAIL ⇒ notched lower right-shadowed e rightwards arrow
- WARDS ARROW WITH NOTCHED TAIL

## fts

ent and thickness of this set are eavy shaft arrows.

- ARROW SHAFT WIDTH ONE
- ARROW SHAFT WIDTH TWO THIRDS
- ARROW SHAFT WIDTH ONE HALF
- ARROW SHAFT WIDTH ONE THIRD

## ows

- ARDS BOTTOM-SHADED WHITE ARROW
- WARDS BOTTOM SHADED WHITE
- ARDS TOP SHADED WHITE ARROW
- WARDS TOP SHADED WHITE ARROW
- ARDS LEFT-SHADED WHITE ARROW

The Unicode Standard, Version 15.0, Copyright © 1991-2022 Unicode, Inc. All rights reserved.

1F8A5	⇒	<b>RIGHTWARDS RIGHT-SHADED WHITE ARROW</b> $\rightarrow 27A9 \implies$ right-shaded white rightwards arrow
1F8A6	⇔	LEFTWARDS RIGHT-SHADED WHITE ARROW
1F8A7	₽	RIGHTWARDS LEFT-SHADED WHITE ARROW
		$\rightarrow$ 27AA $\Rightarrow$ left-shaded white rightwards arrow
1F8A8	$\Diamond$	LEFTWARDS BACK-TILTED SHADOWED WHITE ARROW
1F8A9	⇒	RIGHTWARDS BACK-TILTED SHADOWED WHITE ARROW
		→ 27AB 🗢 back-tilted shadowed white rightwards arrow
1F8AA	4	LEFTWARDS FRONT-TILTED SHADOWED WHITE ARROW
1F8AB	₽	RIGHTWARDS FRONT-TILTED SHADOWED WHITE ARROW
		$\rightarrow$ 27AC $rightarrow$ front-tilted shadowed white

→ 2/AC ⇒ front-tilted shadowed white rightwards arrow

# White arrow shafts

The vertical alignment and thickness of this set are compatible with white arrows.

- 1F8AC D WHITE ARROW SHAFT WIDTH ONE
- 1F8AD P WHITE ARROW SHAFT WIDTH TWO THIRDS

## Arrows for legacy computing

- 1F8B0 **S** ARROW POINTING UPWARDS THEN NORTH WEST
- 1F8B1 2 ARROW POINTING RIGHTWARDS THEN CURVING SOUTH WEST